

To: Nonresponsive based on revised scope [redacted]@tetrattech.com]
From: Wagner, Christine[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent: Tue 2/22/2022 8:31:29 PM (UTC)
Subject: RE: Shiloh Supplies

[redacted]

Ok, I will amend the TD as soon as I get a break at the response. Thanks for following up
Chris

From: Nonresponsive based on revised scope [redacted]@tetrattech.com>
Sent: Tuesday, February 22, 2022 3:29 PM
To: Wagner, Christine <Wagner.Christine@epa.gov>
Subject: RE: Shiloh Supplies

Chris, you are correct, there was never a list of supplies that were onsite. START should have kept a list but I can find none. Sayed did check the Newark supply room for any boxes that may have been labeled Shiloh Church Road and he could find none. Any supplies pulled from the site last year, it appears, were not marked for the site and have been assimilated into other projects.

When Shiloh restarts, for the drinking water sampling, I will need to procure bottleware and preservative. I had [redacted] check proactively on the lead time from ESS (our main supplier) and they indicated orders are taking roughly a week to a week and a half to ship. Supply chain shortages are affecting many glassware suppliers and our industry is suffering the effects.

Nonresponsive based on revised scope

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Monday, February 21, 2022 5:07 PM
To: Nonresponsive based on revised scope [redacted]@tetrattech.com>
Subject: Re: Shiloh Supplies

⚠ **CAUTION:** This email originated from an external sender. Verify the source before opening links or attachments. ⚠

[redacted]

I don't think such a list exists

On Feb 21, 2022, at 2:32 PM, Nonresponsive based on revised scope [redacted]@tetrattech.com> wrote:

I've asked [redacted] to provide me an updated list of all supplies they have from Shiloh at the Newark office. I'm still awaiting word on that. I just wanted to make sure that some supplies from the site didn't end up at the COOP and become forgotten. My most urgent needs will be the bottleware to conduct the drinking water sampling event this spring. I'll send you over the list from [redacted], when he sends it to me. This way we will both have a copy of it. I'm optimistic that they will have plenty of bottleware to conduct the drinking water sampling event, without me having to request approval for more bottleware.

Nonresponsive based on revised scope

Nonresponsive based on revised scope

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Wagner, Christine <Wagner.Christine@epa.gov>

Sent: Monday, February 21, 2022 2:28 PM

To: Nonresponsive based on revised scope @tetrattech.com>

Subject: Re: Shiloh Supplies

⚠ CAUTION: This email originated from an external sender. Verify the source before opening links or attachments.



What are you looking for ? I think Sayed took pretty much everything

On Feb 21, 2022, at 2:25 PM, Nonresponsive based on revised scope @tetrattech.com> wrote:

Afternoon Chris,

I'm working to track down and inventory all supplies from the site, that may be stored at the Newark office. Do you know if any of the supplies were shipped to the EPA COOP for storage?

Nonresponsive based on revised scope

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.



Please consider the environment before printing. [Read more](#)



TETRA TECH